

YAVORSKAYA, YE V

YUGO

Synthesis of 3-phenyl-3-(methoxycarbonyl)propionic acid and
some of its derivatives. Y. M. Remonov and Ye. V. Yavorskaya.
J. Gen. Chem. U.S.S.R. 23, 1025-8 (1953) (Engl.
translation). See C.A. 48, 8753g. H. L. H.

(Handwritten signature)

YAVORSKAYA, Ye. V.

POLUNINA, Ye.F.; CHENTSOVA, M.G.; YAVORSKAYA, Ye.V.; RODIONOV, V.M.,
akademik, redaktor [deceased]; ZHUKOVA, I.G., redaktor; SACHEVA,
A.I., tekhnicheskiiy redaktor

[Manual on applied studies on organic chemistry for students in
schools of medicine] Rukovodstvo k prakticheskim zaniatiyam po
organicheskoi khimii dlia studentov meditsinskikh institutov. Pod
red. V.M.Rodionova. Moskva, Gos. izd-vo med. lit-ry, 1954. 110 p.
(MLRA 7:10)

1. Sotrudnik kafedry organicheskoy khimii II Moskovskogo medi-
tsinskogo instituta imeni I.V.Stalina (for Polunina, Chentsova,
Yavorskaya)

(Chemistry, Organic)

"APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R001962310020-7

APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R001962310020-7"

"APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R001962310020-7

APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R001962310020-7"

DROZDOV, N.S.; YAVORSKAYA, Ye.V.

Mesoderivatives of acridine. Part 23: Reaction of 9-methylacridine
with nitroso compounds. Zhur.ob.khim. 30 no.10:3421-3425 - 0 '61.
(MIRA 14:4)

1. Moskovskiy meditsinskiy institut imeni N.I.Pirogova.
(Acridine) (Nitroso compounds)

ГЛИКИН, Б., инженер-электромеханик; ЯВОРСКИЙ, А., инженер-электрик

The problem of electric power distribution on tank vessels. Mor.
flot 15 no.9:13-14 S'55. (MLRA 8:11)
(Tank vessels) (Electricity on ships)

GLIKIN, B.; PETROVSKIY, M.; YAVORSKIY, A.

Ways of improving the operational properties of the electric equipment of ships. Mor. flot 22 no.11:20-22 N '62. (MIRA 15:12)

1. Nachal'nik sektora avtomatiki TSentral'nogo proyektno-konstruktorskogo byuro No.3 Ministerstva morskogo flota (for Glikin). 2. Gruppovoy inzh.-elektrik Chernomorskogo parokhodstva (for Petrovskiy). 3. Rudovoditel' gruppy TSentral'nogo proyektno-konstruktorskogo byuro No.3 Ministerstva morskogo flota (for Yavorskiy).
(Electricity on ships)

PANOV, F., inzhener-polkovnik; YAVORSKIY, A., mayor tekhnicheskoy sluzhby;
SHCHUKIN, M., inzhener-podpolkovnik

For traffic safety. Tekh. i vooruzh. no. 6871-74, Ia'64

(MIRA 17:.)

YAVORSKIY, A.

Agricultural Machinery

Use of locomobiles on livestock breeding collective farms. MTS 12 no. 2, 1952.

9. Monthly List of Russian Accessions, Library of Congress, August 1958, Unclassified.

2

YAKIMUK, P.G., inzhener-mekhanik; VASILYUK, N.F.; GAL'PERIN, L.Yu.;
ZAYTSEV, T.F.; KARPEN'KO, S.A.; STEPANENKO, A.N.; YAVORSKIY, A.A.;
SHAGOMYALO, V.I., redaktor; GURZHIY, M.Ye., tekhnicheskii redaktor

[Tractor operator's manual] Spravochnik traktorista. Izd. 4-oe,
perer. i dop. Kiev, Gos. izd-vo selkhoz. lit-ry USSR, 1955. 519 p.
(Tractors--Handbooks, manuals, etc) (MIRA 9:1)

YAYORSKIY, H. H.

VASILYUK, N.F.; GAL'PERIN, L.Yu.; ZAYTSEV, T.F., KARPENKO, S.A.; STEPANENKO, A.N.; YAYORSKIY, A.A.; YAKIMUK, P.G., inzhener-mekhanik, redaktor; KOZAK, P.Ye., redaktor; CHEREVATSKIY, S.A., tekhnicheskii redaktor

[Handbook for tractor operators] Spravochnik traktorista. Izd. 5-oe, perer. i dop. Kiev, Gos. izd-vo sel'khoz. lit-ry USSR, 1956. 471 p.
(Tractors) (MIRA 10:4)

U/10074555-1 Y. I. K.
ZAITSEV, T.F.; KARPENKO, S.A.; NESVITSKIY, Ya.I.; kandidat tekhnicheskoy
nauk; STEPANENKO, A.N.; YAVORSKIY, A.A.; SHAGOMYALO, V.I.,
redaktor; KRAVCHENKO, H.F., tekhnicheskoy redaktor

[Tractor brigade leader's manual] Spravochnik brigadira
traktornoj brigady. Izd. 2-oe, dop. Kiev, Gos. izd-vo sel'khoz.
lit-ry USSR, 1956. 483 p. (MLRA 10:4)
(Tractors)

GLUSHCHENKO, Vladimir Petrovich [Hlushchenko, V.P.]; YAVORSKIY, Al'fred
Al'fredovich [Lavors'kiy, A.A.]; SEMENKO, M.V., red.; GULENKO,
O.I. [Hulenko, O.I.], khud.-tekhn.red.

[Mechanization of livestock farms in connection with loose
housing of cattle] Mekhanizatsiia ferm z bezpryv'iaznym
utrymanniam khudoby. Kyiv, Derzh.vyd-vo sil's'kohospodars'koi
lit-ry URSS, 1960. 98 p. (MIRA 14:1)
(Farm mechanization) (Dairy farms)

KOVALENKO, O.Ya., kand.tekhn.nauk; YAVORSKIY, A.A. [Iavors'kiy, A.A.], inzh.

Mechanized feed distribution in cattle barns. Mekh. sil'. hosp.
11 no.5:9-11 My '60. (MIRA 14:3)
(Cattle—Feeding and feeds)

YAVORSKIY, Al'fred Al'fredovich[Iavors'kyl, A.A.]; OLEFIRENKO,
G.A.[Olefirenko, H.A.], red.; KALASHNIKOVA, O.G.
[Kalashnykova, O.H.], tekhn. red.

[Using tractors on livestock farms] Zastosuvannia traktoriv
na tvarynnyts'kykh fermakh. Kyiv, Derzhsil'hospvydav URSR,
1962. 92 p. (MIRA 16:5)

(Ukraine--Stock and stockbreeding)

(Ukraine--Tractors)

USSR/Biology - Wheat Plant Breeding

11 Feb 50

"Effect of Transplantation of Embryos on the Formation of Branched Ears and the Yield of Grain in Kakhetinsk Wheat (*Triticum turgidum* L.)," G. V. Porutskiy, A. G. Yavorskiy, Inst of Plant Physiol and Agr Chem, Acad Sci Ukrainian SSR

"Dok Ak Nauk SSSR" Vol LXX, No 5, pp 901-904

Investigates and tabulates biological and morphological effects of transplanting embryos of Kakhetinsk wheat on endosperm of a spring wheat with a short growing stage, Odessa-13, and a winter wheat, Odessa-3, as compared with controls. Feeding the embryos on endosperm of Odessa-3 creates conditions favorable for branching and increase of grain yield, whereas endosperm of Odessa-13 achieves reverse effect. Includes three tables. Submitted 3 Dec 49 by Acad N. A. Maksimov.

PA 165T7

for 20-21, 11, 12
USSR/Weeds and Their Control

II

Abs Jour : Ref Zhur - Biol., No 1, 1958, No 1849

Author : A.G. Yavorakiy

Inst : Not Given

Title : Field Choking in Relation of Crop Rotation and Soil Cultivation in Grass-Weed Crop Rotation in the Southern Part of the Wooded District of the Ukraine

Orig Pub : Nauch. tr. Ukr. s.kh. akad., 1956, 8, 31-36

Abstract : An analysis of weed prevalence in individual fields having supported crops on the turf-podzolic soil of the testing station zone of the Ukrainian Agricultural Academy has shown, during a five year period of rotation (1949-1954), that on fields with winter cultivations the amount of weeds per m^2 (from 16 to 68 for wheat and 18-22 plants for rye) was considerably lower than on the fields with summer grains (from 84-242). The cleanest were the winter crops on black and occupied fallow land and on one-year strata. In late winter crops on plowed furrows, choking by the wild radish was

Card : 1/2

USSR/Weeds and Their Control

N

Abs Jour : Ref Zhur - Biol., No 1, 1958, No 1849

greater, but on strata with winter wheat crops, the amount of 2 year old and perennial weeds arose drastically. The most prevalent weeds of the summer crops appear to be the wild radish, the field horetail and the dove-colored bristly fox-tail grass. The summer crops on plow-land are cleaner (92-144 weed plants per lm^2), but by sowing wheat on the layer of perennial grass, choking increased to 254 plants per lm^2 . On perennial grass the amount of weeds is considerably greater in the stubble (82) than in the post-harvest crops (15). To combat weeds in a given zone, plow-turned fallow lands are recommended, with deep mellowing of the soil prior to cultivating being necessary.

Card : 2/2

YAVOR'SKIY A. G.

GLIKIN, B.A., inzh.; YAVORSKIY, A.G., inzh.

Determining the capacity of the electric power plant of a ship.
Sudostroenie 23 no.12:33-38 D '57. (MIRA 11:2)
(Electricity on ships)

GLIKIN, B.A., inzh.; YAVORSKIY, A.G., inzh.

Remagnetizing of marine generators. Sudostroyeniye 24 no.10:54-55
O '58. (MIRA 11:12)

(Electric generators) (Electricity on ships)

VOIKOV, Ivan Georgiyevich; GLIKIN, Boris Abramovich; ZABOLOTNYY, Il'ya Yevtikhiyevich; LIKHOTINSKIY, Valentin Sergeyevich; SPEKTOR, David Borisovich; YAVORSKIY, Anatoliy Georgiyevich; SUKHIN, Ye.T., red.; MARTIROSOV, A.Ye., red.; VAYL', T.I., red.izd-va; LAVRENOVA, N.B., tekhn.red.

[Reference book for sea harbor mechanizers] Spravochnik mekhanizatora morskogo porta. Moskva, Izd-vo "Morskoi transport," 1959. 462 p. (MIRA 13:2)

(Harbors--Equipment and supplies)
(Cargo handling--Equipment and supplies)

YAVORSKIY, A.G., inzh.; GLIKIN, B.A., inzh.

Use of mounted generators and ways to apply automatic control to the electric power plant of a ship. Sudostroenie
25 no.9:26-31 S '59. (HIRA 12:12)
(Electricity on ships) (Electric generators)
(Automatic control)

MIKHALOVSKIY, A.G., doktor sel'skokhozyaystvennykh nauk, prof.; KALIBERDA, V.M., assistant; ~~YAVORSKIY, A.G., kand.sél'skokhozyaystvennykh nauk,~~ dtsent; VESELOVSKIY, I.V., kand.biologicheskikh nauk

Productivity of grassland crop rotations and measures for increasing soil fertility in the Ukrainian Polesye. Nauch. trudy UASHN 10:3-16 '60. (MIRA 14:3)

(Polesye- Rotation of crops) (Soil fertility)

GLIKIN, B.A., inzh.; PETROVSKIY, M.Ye., inzh.; YAVORSKIY, A.G., inzh.

Emergency operation of tank vessel electric power plants. Sudostroenie
28 no.5:35-38 My '62. (MIRA 15:7)
(Electricity on ships)

LUCHKO, A.S.; PORUTSKIY, G.V.; YAVORSKIY, A.G.

Gaseous excretions and the amino acid composition of green
peas. Fiziol. rast. 11 no.1:53-58 Ja-F '64.

(MIRA 17:2)

1. Sel'skokhozyaystvennaya akademiya, Kiyev.

YAVORSKIY, A.K., inzh.; VINOGRADOV, B.N., inzh.

Effect of an accelerated cycle of autoclaving on the process
of the hardening of lime keramzit concrete. Trudy GISI
no.47:7-22 '64. (MIRA 18:11)

YAVORSKIY, A.K., inzh.

Converting plants producing silica brick to the manufacture of
advanced products. Trudy GISI no.43:72-78 '63. (MIRA 17:4)

YAVORSKIY, A.K.; VOYTOVICH, V.A.

Adhesive for securing ultrasonic transformers during design testing.
Zav. lab. 31 no.2:252 '65. (MIRA 18:7)

1. Gor'kovskiy inzhenerno-stroitel'nyy institut.

Category : USSR/General Problems - Problems of Teaching

A-3

Abs Jour : Ref Zhur - Fizika, No 1, 1957, No 69


Author : Yavorskiy, A.M., Piven, G.F.

Title : Polytechnical Preparation of Future Physics Teachers

Orig Pub : Radyans'ka shkola, 1956, No 4, 23-32

Abstract : No abstract

Card : 1/1



PROCEDURES AND PROPERTIES INDEX																																																																													
<p><i>ca</i></p> <p>Galvanometric determination of the hydrogen-ion concentration. L. A. P. Sergeev and A. N. Yavorskil. <i>J. Applied Chem. (U. S. S. R.)</i> 11, 113-10 (in French 110) (1958). Connect the sample with a soln. of known H-ion concn. by means of a satd. KCl bridge, introduce Sb electrodes in both solns., and connect with a galvanometer. Note the sign of charges on the electrodes and substitute other standard solns. until equil. is obtained. The method permits p_H data. to first decimal. Right references.</p> <p>A. A. Polgorny</p> <p style="text-align: right;">2</p>																																																																													
METALLURGICAL LITERATURE CLASSIFICATION																																																																													
<table border="1"> <tr> <td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td><td>21</td><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>																										1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26																										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26																																																				

1ST AND 2ND COORDINATES																										3RD AND 4TH COORDINATES																									
1ST COORDINATES													2ND COORDINATES													3RD COORDINATES													4TH COORDINATES												
1ST COORDINATES													2ND COORDINATES													3RD COORDINATES													4TH COORDINATES												
<p>YAVORSKIY, A. N.</p> <p>Ca</p> <p>Galvanometric titration method. I. A. P. Sergeev and A. N. Yavorskiy. <i>J. Applied Chem. (U. S. S. R.)</i> 11, 117-119 (1938) (1938). The method for detn. of H-ion concn. (C. A. 32, 4413) is applied to acid and base titrations. The end point is reached when the galvanometer reading is zero. Ten references. A. A. Podgorny</p> <p>450-554 DETAILURGICAL LITERATURE CLASSIFICATION</p>																																																			

YAVORUKIY, Anatoliy NI ol'evich.

The interior organization of secondary school shows Minsk Dziarzhaunae
vydavetstva Belarusi, Vuchpedsektar, 1935. 63 p.

NN NNC

YAVORSKIY, A. N.

Physics - Problems, Exercises, etc.

Empirical problems in physics. Fiz. v shkole 12 no. 3, 1952.

9. Monthly List of Russian Accessions, Library of Congress, September 1952. Unclassified.

YAVORSKIY, A.V.

YAVORSKIY, A. V.

Differential diagnosis of kidney diseases in pulmonary tuberculosis.
Probl. Tuberk., Moskva No. 6, Nov.-Dec. 50. p. 68-9

1. Of Moscow Municipal Scientific-Research Tuberculosis Institute
(Director—Prof. V. L. Eynis).

GLML 20, 3, March 1951

YAVORSKIY, A.Y.

YAVORSKIY, A.Y.

Late results of streptomycin therapy of pulmonary tuberculosis in a dispensary. Probl. tub. no.1:44-48 Ja-F '55. (MLRA 8:4)

1. Iz Moskovskogo tuberkuleznogo dispansera No.4 (glavnyy vrach zasluzhennyy vrach RSFSR S.M.Zamukhovskiy).

(TUBERCULOSIS, PULMONARY, therapy,

streptomycin, remote results)

(STREPTOMYCIN, therapeutic use,

tuberc., pulm., remote results)

GAFT, Ya.M.. kand.med.nauk; Prinimali uchastiye: BRANZBURG, N.A., vrach;
GOL'TS, I.P., vrach; GORELIK, Ye.S.. vrach; ZVONKINA, O.M., vrach;
LIVSHITS, R.I., vrach; LUR'YE, Ye.L., vrach; OZHE, N.B., vrach;
RYBAL'SKAYA, V.G., vrach; CHELNOKOVA, A.K., vrach; YAVORSKIY, A.V.,
vrach

Dynamics of the tuberculous process in patients transferred to the
third group of dispensary registration. Probl. tub. 38 no.3:3-8
'60. (MIRA 14:5)

1. Iz protivotuberkuleznogo dispansera No.4 Moskvy (glavnyy vrach -
zasluzhennyy vrach RSFSR S.M.Zamukhovskiy).
(TUBERCULOSIS)

YAVORSKIY, B.I.

PA 50/49
T44

USBR/Fuels, Solid
Coal
Coke

May 49

"Coking Coal Industry of Kuzbas and Its Possible
Expansion," B. I. Yavorskiy, Dr Geol Mineral Sci,
Laureate of Stalin Prize, 47 pp

"Ugol" No 5

Claims geological studies of the quality of Kuzbas
coal in various districts have not been completed.
Necessary petrographic studies prior to initial
coal sampling. Experiments disclosed that 40% of
high-melting coking coal from Kuzbas coking-coal

50/49T44

USBR/Fuels, Solid (Contd)

May 49

Layers can be used. Discovered expansion of coking-coal bases, various coal brands, their
quality and places they are mined.

50/49T44

Cumulative excitation of H and He by electronic impact. B. M. Yavoriskii, *Compt. rend. acad. sci. U.R.S.S.* 45, 151-5 (1944).—The probability of exciting a H or a He atom by electron impact in several steps is calculated. The cross section for these cumulative processes is one order of magnitude higher than that for direct excitation of higher levels, when the electron velocities are comparatively small. No direct comparison of these results with the available exptl. data is possible. (3, 8, 4)

PROCESSES AND PROPERTIES INDEX

3

CY

The probability of cumulative processes in collisions of electrons and atoms. H. M. Yavorskiy. *Bull. acad. sci. U.R.S.S., Ser. phys.* 6, 231-A(1968). Theoretical. The effective cross sections of the following processes have been calculated: (1) excitation of Hg atoms by electronic shock from 6^1P_1 to 7^1S_1 , (2) direct excitation from the ground level to 7^1S_1 , (3) excitation of P states, and (4) excitation of different states in He and H. S. Pakyver

ASH-3LA METALLURGICAL LITERATURE CLASSIFICATION

RESEARCH										COLLECTION									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

PROCESSING AND PROPERTY DATA	
<p>3</p> <p>Stapped excitation of mercury by electronic impact. B. M. Vavarskii (V. M. Molotov Power Inst., Moscow). Compt. rend. acad. sci., U.R.S.S. 48, 178-H(1948). Math. Using Dirac's equation (Dirac, Quantum Mech. p. 179 (C.A. 24, 40AR)) for the effective cross section for the excitation of an atom by electronic impact, V. derives an equation from which it is possible to obtain the effective cross section for certain levels. Using the exptl. data of Blank and Schaffernicht (C.A. 25, 872) for straight ex- citation of the 7th level gives a value of 1.2 sq. cm./cc. (1 mm. Hg, 0°) at the max., which is in good agreement with the value of 1.8 obtained from V.'s theoretical calcns. Frank Gonet</p>	<p>3</p>
	<p>3</p>
<p>ASB-5LA METALLURGICAL LITERATURE CLASSIFICATION</p>	
<p>1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100</p>	<p>1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100</p>

3

Stepped ionization of hydrogen by electronic impact.
B. M. Yavorskii. *Compt. rend. acad. sci. U.R.S.S.* 49,
250-3(1945); cf. *C.A.* 39, 2023⁴.—The effective cross
section for ionization of H atoms in different initial states
s computed. No exptl. data are available for comparison
with the theoretical curves. H. P. Knauss

CA

3

Absolute probabilities of excitation of the P levels of mercury by electron impact. B. Yavorskii (Molotov Energetics Inst., Moscow). ~~Doklady Akad. Nauk S.S.S.R.~~ 30, 183-4(1945).—The 6^1P_1 level has a max. calcd. excitation cross section of ~ 1.2 sq. cm./cc. (in at. units of $\pi a_0^2 \times 10^3$) at an electron energy of 8 e.v.; the corresponding max. values for the 6^1P_1 , 6^3P_1 , and 6^1P_2 levels are 16.5 (at 16 e.v.), 4.8 (at 9 e.v.), and 10.3 sq. cm./cc. (at 13 e.v.), resp. Cyrus Feldman

CA

3

Probabilities of collisions of the first and second kinds
between atoms of mercury and free electrons. B. M.
Yavorskiĭ. *J. Phys. (U.S.S.R.)* 10, 476-80(1946).—The
effective cross sections for certain transitions in collisions
of the second kind between Hg atoms and electrons are
calcd. B. A.

3

Stepped ionization of helium by impact of electrons.
B. M. Yavruskil. *Compt. rend. acad. sci. U.R.S.S.* 51,
271-3 (1948); cf. *C.A.* 40, 56329.—Math. Comparison
of the calcul. with those of Massey and Mohr (*C.I.* 27,
1939) for direct ionization indicates that the effective
cross section for stepped ionization of He by electron
impact exceeds by an order of magnitude the effective
cross section for direct ionization. H. G. McCann

157 AND 210C EGGERS

PROCESSES AND PROPERTIES INDEX

100 AND 410C EGGERS

3

Extraction of electrons from metal by metastable atoms of mercury. I. M. Gurevich and B. M. Yavorskii (All-Union Inst. Elec. Eng., Moscow). Compt. rend. acad. sci. U.R.S.S. 53, 780-93(1940).—Theoretical. Earl A. Gulbransen

ASB-31A METALLURGICAL LITERATURE CLASSIFICATION

157 AND 210C EGGERS

100 AND 410C EGGERS

YAVORSKIY, B. M.

"Theory of Elementary Processes in a Gas Discharge." Sub 8 Dec 47,
Physics Inst imeni P. N. Lebedev, Acad Sci USSR

Dissertations presented for degrees in science and engineering in
Moscow in 1947. *(Degree of Dr. Physico-math Sci.)*

SO: Sum No. 457, 18 Apr 55

USSR/Nuclear Physics
Electron Theory
Atoms

Apr 1947

PA 34-67

"Graduated Processes for Nonelastic Interaction of
Atoms and Electrons," B. M. Yavorskiy, 12 pp

"Zhurnal Eksperimental'noy i Teoreticheskoy Fiziki"
Vol XVII, No 4

Computations are made of effective cross sections for
the excitation of hydrogen, helium and mercury atoms
by an electron collision for the case when the atom
is initially in an excited state. It is shown that ef-
fective cross sections for graduated processes the values
excitation exceed by an order of magnitude the values
excitation

USSR/Nuclear Physics (Contd)

Apr 1947

corresponding to direct excitation of atoms from
their normal states. Excitation functions are compared with
experimental data on excitation functions for gradu-
ated processes.

YAVORSKIY, B. M.

ID

all-Union Electrical Inst. Moscow
Surgitskiy Inst. in. Mekhan.

34667

PA 53T87

YAVORSKIY, B.

USSR/Nuclear Physics - Impact Electronic Feb 1947
Nuclear Physics - Ionization

"Ionization of Mercury by Electron Impact," B. Yavor-
skiy, 4 pp

"CR Acad Sci" Vol LV, No 4

Symposium of previous work on subject, leading to
calculation of effective cross section for ionization
of mercury vapor by electron impact. Total cross sec-
tion of atoms in one cc computed, recalculated for
density at a pressure of one mm Hg and 0° C. Work
cited includes papers by Massey, Mohr, Bethe, Houston,
Slater, Eckart, Sommerfeld, Watson, Smith, Nottingham,
and the author.

53T87

Inst. Electrical Engineering

Dec 49

YAVORSKIY, B. M.

USSR/Physics - Electron Scattering
Electron Microscope

"Scattering of Electrons in Thin Layers," L. M. Biberman, Ye. N. Vtorov, I. A. Kovner, N. G. Sushkin, B. M. Yavorskiy, Moscow State U imeni v. M. Molotov, 4 pp

"Dok Ak Nauk SSSR" Vol LXIX, No 4

Results of experiments using electron microscope EM-100 to measure angular distribution of electrons passed through thin film and scattered in the interval from $3 \cdot 10^{-4}$ to $3 \cdot 10^{-2}$ radium showed measurements in this interval are quite reliable. However, number of 60 Kv-electrons scattered was much greater than number calculated for very small angles ($3 \cdot 10^{-3}$ radian). Submitted by Acad S. I. Vavilov 6 Oct 49.

155T64

YAVORSKIY, B.

Oct 51

USSR/Nuclear Physics - Atoms, Excitation of

"Excitation of Atoms in Mercury Discharge," V. Fabrikant, B. Yavorskiy, Moscow
Power Eng Inst

"Zhur Eksper i Teoret Fiz" Vol XXI, No 10, pp 1180, 1181

Authors refer to work by Kagan and Perkin ("Iz Ak Nauk SSSR, Ser Fiz" 14, 1950)
in which the latter quotes inaccurately results by Yavorskiy and Fabrikant. Never-
theless exptl results by Kagan and Perkin confirm qualitatively results previously
obtained by different method by Fabrikant, Butayeva and Tsirg (ibed. 7, 1937; 8, 1938).
Submitted 20 Apr 51.

PA 197T101

(CA 47 no. 21: 10989 '53)

YAVORSKIY, B.

USSR/Physics - Statistical Mechanics

Aug 51

"Review of 'Introduction to Statistical Physics' by V. G. Levich," B. Yavorskiy

"Uspekh Fiz Nauk" Vol XLIV, No 4, pp 645-648

Subject book, "Vvedeniye v Statisticheskuyu Fiziku," was published by Gostekhizdat, Moscow and Leningrad, 1950, 417 pp, 19.70 R. Book is basically a course of lectures given by Levich at the Moscow State Pedagogic Institute in the years 1940 - 1949. Until recently books were not intended, in the main, for the university program and did not take into consideration the needs of the student body studying physics according to the abridged program. Subject book fulfills this need. In Yavorskiy's opinion Levich has succeeded in his proposed aim: to write a course on statistical physics creating for the student the correct representations concerning the modern state of this discipline and expounding the principle problems of statistical physics and its numerous applications. Book contains 16 chapters on theory of ideal gases, helium II, kinetic theory of gases, theory of probability, thermodynamics, etc.

192T102

PA 192T102

"APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R001962310020-7

YAVORSKIY 15.19

APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R001962310020-7"

"APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R001962310020-7

YAVORSKIY, S M

APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R001962310020-7"

YAVORSKIY, B.

USSR/Physics - Textbooks

Apr 52

"Review of S. A. Artsybyshv's Book 'Course of Physics. Part I. Mechanics and Heat,'" B. Yavorskiy

"Uspekhi Fiz Nauk" Vol XLVI, No 4, pp 600-602

Published by the Uchpedgiz (State Text Pedagogic Press), 1951, 18 rubles, 659 pp, 571 illustrations. Admitted by the Min of Higher Educ USSR as a textbook on physics for students of physicomathematical faculties of pedagogical institutes. States that the appearance of S. A. Artsybyshv's new physics textbook has not solved the problems of creating a textbook capable of satisfying the growing demands for prep future teachers of secondary-school physics.

218T103

YAVORSKIY, B. M.

PA 240T95

USSR/Physics - Optical Transitions 21 Dec 52

"Approximate Method of Computing the Probabilities of Optical Transitions," L. A. Vaynshteyn and B. M. Yavorskiy, All-Union Inst of Correspondence Courses of Textile and Light Industry

"DAN SSSR" Vol 87, No 6, pp 919-922

Analyzes functions by J. Slater (cf. Phys Rev. 36, (1930); P. Gombas Acta Physica (Budapest) 1, 3, 1952; V. Fok et al. Sov. Phys. 6, (1936); etc.) and attempts to simplify computations for specific cases. Presented by Acad G. S. Landsberg 21 Oct 52.

240T95

YAVORSKIY, B. M.

259T85

USSR/Physics - Photoionization Cross
Section

11 Apr 53

"Photoionization of Complex Atoms," L. A. Vaynshteyn and B. M. Yavorskiy, All-Union Correspondence Inst of Textile and Light Industry

DAN SSSR, Vol 89, No 5, pp 813-816

Calculation of the probability of transition of an optical electron into a continuous spectrum, a method for the calculation of the probabilities of transitions between discrete levels of an atom having already been proposed by the authors (DAN SSSR, Vol 87, 919 (1952)).

259T85

State that photoionization processes and also the reverse processes of recombination with radiation are essential in many problems of astrophysics and gas-discharge physics. Presented by Acad G. S. Landsberg 19 Feb 53.

YAVORSKIY, B.M.

USSR/ Physics

Card 1/1 Pub. 43 - 12/97

Authors : Vaynshteyn, L. A., and Yavorskiy, B. M.

Title : Approximate method for the calculation of probabilities of optical transitions

Periodical : Izv. AN SSSR, Ser. fiz. 18/2, page 251, Mar-Apr 1954

Abstract : The contents of this report were published in Doklady Akademii Nauk SSSR (Reports of the Academy of Sciences USSR), vol. 87, page 919, 1952.

Institution :

Submitted :

YAVORSKIY, B. M.

USSR

An approximate calculation of vibrator forces and effective cross sections of photoionization. L. A. Valushtein and B. M. Yavorskiy. *Zhur. Ekspil. i Teoret. Fiz.* 27, 712-18 (1954).—The effective cross section of photoionization is given by $\sigma_e = (4\pi^2/137) \sum_{l,l'} f_{ll'}^2$ (a_0 radius of the 1st H-orbit) and the oscillator strength $f_{ll'} = (1/32\pi)(E_{l'} - E_l) |Q_{ll'}|^2 / (4l_{l'} - 1)!$; $Q_{ll'} = \int_0^\infty P_{l'}(r) P_l(r) r^2 dr$ is calcd. by means of approx. radial functions. $f_{ll'}$ is calcd. for some at. transitions for Li (2'S-2'P and 2'S-3'P), Na (3'S-3'P and 3'P-4'S), K (4'S-4'P), Cd (5'S-5'P), and Hg (6'S-6'P), and the results are compared with exptl. data. σ_e is calcd. for B, C, N, O, Ne, Ca, and Na for $h = 0$; the values are compared to values calcd. by Seaton (cf. C.A. 46, 5424A, 5425A), the discrepancy is of the order of 20-40%. S. Pakawer

62

①

YAVORSKIY, Boris Mikhaylovich; AITIK, I.V., redaktor; VORONIN, K.P.
~~tekhnicheskii~~ redaktor.

[How light and electric energy are propagated] Kak rasprostraneniya
sveta i elektricheskaya energiya. Moskva, Gos. energ. izd-vo
1955. 108 p. (MLRA 8:8)
(Light) (Electric power)

YAVORSKIY, B.M.

PRIKHOT'KO, N.F.

24(7) 13 PHASE I BOOK EXPLOITATION 804/1365

L'viv. Universitet

Materiialy I Vsesoyuznogo s'vreshchaniya po spektroskopii. 2. 1: Molekulyarnaya spektroskopiya (Papers of the 10th All-Union Conference on Spectroscopy. Vol. 1: Molecular Spectroscopy) [L'viv] Izd-vo L'vivskogo univ-ta, 1957. 199 p. 4,000 copies printed. (Series: Itsi Fizichnyy sbirnyk, vyp. 3/8/)

Additional Sponsoring Agency: Akademiya nauk SSSR. Komissiya po spektroskopii. Ed.: Jaxer, S.L.; Tech. Ed.: Saranyuk, T.V.; Editorial Board: Landsterg, O.S., Academician (Resp. Ed., Deceased), Naporent, B.S., Doctor of Physical and Mathematical Sciences, Fabelinskiy, I.L., Doctor of Physical and Mathematical Sciences, Fabelinskiy, V.A., Doctor of Physical and Mathematical Sciences, Kornitskiy, V.G., Candidate of Technical Sciences, Rayskiy, S.M., Candidate of Physical and Mathematical Sciences, Klimovskiy, L.A., Candidate of Physical and Mathematical Sciences, Miliyanchuk, V.S., Candidate of Physical and Mathematical Sciences, and Glauberman, A. Ye., Candidate of Physical and Mathematical Sciences.

Card 1/30

Tumoran, L.A. New Optical Method in Mass-spectroscopy	81
Kovner, M.A., A.M. Bogomolov. The Structure and Vibrational Spectra of Some Aromatic Hydrocarbons	84
Kamenetskiy, V.D., and B.M. Yavorskiy. Method for the Calculation of Absorption Spectra of Organic Molecules	88
Iogansen, A.V. Normal-vibration Frequencies and the Anharmonicity Constants of Acetylene and Deutero-acetylene Molecules	93
Motulevich, G.F., and A.A. Shubin. Polarization Method for the Measuring of Optical Constants of Metals in the Infrared Range	95
Kislovskiy, L.D. Use of a Resonator Model With Viscous Friction for the Representation of Optical Characteristics of Absorbing Media in the Infrared Range	96

Card 7/60

KAMENETSKIY, V.D.; YAVORSKIY, B.M.

Calculation of absorption spectra for organic compounds. Fiz.
sbor. no. 3:88-92 '57. (MIRA 11:8)

1. Vsesoyuznyy zaochnyy institut tekstil'noy i legkoy promyshlen-
nosti.

(Organic compounds--Spectra)

YAVORSKIY, B.M., professor (g. Moskva).

Answer to I.A. Shostakov. Fiz. v shkole 17 no.3:86-88 My-Je '57.
(Expansion (Heat)) (MLRA 10:6)

Yavorskiy

BELEN'KIY, L.I.; KAZANSKAYA, M.Ye.; YAVORSKIY, B.M.; KAMENETSKIY, V.D.

Spectrophotometric analysis of leuco esters (with summary in English). Zhur.fiz.khim.31 no.7:1564-1572 J1 '57. (MIRA 10:12)

1. Institut khlopchato-bumazhnoy promyshlennosti, Moskva.
(Spectrophotometry) (Esters)

PHASE I BOOK EXPLOITATION

1023

Yavorskiy, Boris Mikhaylovich

Kak rasprostranyayutsya svet i elektricheskiy tok (How Light and Electric Current Are Propagated) Moscow, Gosenergoizdat, 1958. 142 p. 30,000 copies printed.

Ed.: Antik, I.V.; Tech. Ed.: Fridkin, A.M.

PURPOSE: This booklet is addressed to engineering and technical workers in the field of power engineering.

COVERAGE: The booklet discusses the physical processes occurring in the generation and propagation of light and during the passage of an electric current through solids. A preliminary discussion of the essentials of the kinetic theory of light is presented and modern concepts of the physical structure of the atom are reviewed.

Card 1/6

How Light and Electric (Cont.) 1023

Although the presentation of material presumes a certain knowledge of mathematics and physics on the part of the reader, it does not involve the use of higher mathematics. The author thanks Professor V.A. Fabrikant for reviewing the manuscript. There are 23 references, all Soviet (including 7 translations).

TABLE OF CONTENTS:

Preface	3
Ch.1. Essentials of the Kinetic Theory of Gases	5
1. Gas pressure. Velocity of molecules	5
2. Average free path length	7
3. Velocity distribution of molecules	9
4. Energy and temperature of gas	12
5. Specific heat of gases	13

Card 2/6

How Light and Electric (Cont.)	1023	
6. Specific heat of solids		16
Ch. 2. The Atomic Structure of Electricity		17
7. Atomic structure of electric charges		17
8. Measuring electron charge		18
9. Mass and specific charge of an electron		21
Ch. 3. The Nature and Propagation of Light		25
10. Corpuscular and wave theory of light		25
11. Heat radiation		33
12. Quantum properties of light		38
13. What is light and how is it propagated?		44
Ch. 4. How Light Is Generated		48
14. Line spectra of atoms		48
15. Models of the atom		51

Card 3/6

How Light and Electric (Cont.) 1023

16.	The impossibility of a classical interpretation of the nuclear model of an atom	56
17.	The atom according to the "old" quantum theory. The origin of radiation	59
18.	Theory of the wave properties of matter	70
19.	Theory of wave mechanics	75
Ch. 5.	Electric Current in Metals	79
20.	Theory of the structure of solids	79
21.	Classical electron theory of metals	83
22.	Classical theory of the electric conductivity of metals	87
23.	Fundamentals of the quantum theory of metals	90
Ch. 6.	Metals and Dielectrics	96
24.	Fundamentals of the zone theory of solids	96
25.	Metals and dielectrics according to the zone theory	101

Card 4/6

How Light and Electric (Cont.)	1023
Ch. 7. Electric Properties of Semiconductors	103
26. Intrinsic conductivity of semiconductors	103
27. Conductivity in impurity semiconductors	108
28. Hall effect in metals and semiconductors	113
29. Effect of temperature on the concentration of current carriers in semiconductors	115
30. Mobility of current carriers in semiconductors	117
Ch. 8. Physical Processes in Some Semiconductor Devices	121
31. Rectifying action of semiconductors	121
32. Fundamentals of semiconductor triodes(transistors)	131
33. Thermoelectric semiconductor generators and coolers	135
34. Photoresistors and semiconductor photodiodes(photo-transistors)	138
Bibliography	143
Card 5/6	

How Light and Electric (Cont.) 1023

AVAILABLE: Library of Congress

Card 6/6

JP/mfd
1-23-59

24(5,7,8)

PHASE I BOOK EXPLOITATION

SOV/1817

Yavorskiy, Boris Mikhaylovich, Andrey Antonovich Detlaf, Lidiya Bronislavovna Milkovskaya, and Georgiy Petrovich Sergeyev

Kurs lektsiy po fizike, t. 1: Mekhanika, molekulyarnaya fizika i termodinamiki (A Course of Lectures on Physics, Vol 1: Mechanics, Molecular Physics, and Thermodynamics) Moscow, Gos. izd-vo "Sovetskaya nauka," 1958. 276 p. 30,000 copies printed.

Ed. of Publishing House: K.I. Anoshina; Tech. Ed.: M.D. Shlyk.

PURPOSE: This book is intended as a text for a correspondence course in basic physics for engineering students.

COVERAGE: This is the first volume of a three-volume correspondence course in physics for engineering students. The content of this course approximates that of the physics course offered to engineering students attending regular technical institutions of higher learning. Each chapter includes test problems, intended to develop

Card 1/8

A Course of Lectures on Physics (Cont.)

SOV/1817

the student's ability to apply the physical principles, as well as examples of how to solve various problems in physics. The text, however, does not include material which is of direct importance to the future engineer. Therefore, the authors suggest that such material be offered in all the higher technical institutions of learning during the third and senior years. No personalities are mentioned. No references are given.

TABLE OF CONTENTS:

Preface	3
Introduction	4

PART I. MECHANICS

Ch. I. Kinematics of Translational and Rotational Motions	
1.1 Preliminary concepts	7
1.2 Velocity	10
1.3 Acceleration	12
1.4 Some aspects of the motion of a material point	15
Card 2/8	

A Course of Lectures on Physics (Cont.)

SOV/1817

1.5 Kinematics of an absolute solid	18
Test problems. Examples	20
Ch. II. Dynamics of Translational Motion	
2.1 The first law of Newton	23
2.2 Force and mass	25
2.3 The second law of Newton	27
2.4 The third law of Newton. Law of conservation of quantity of motion	31
2.5 Law of universal gravitation	35
Test problems. Examples	42
Ch. III. Energy and Work	
3.1 Energy, work, and power	44
3.2 Kinetic and potential energies	47
3.3 Law of conservation and transformation of energy in mechanics	52
Test problems. Examples	56
Card 3/8	

A Course of Lectures on Physics (Cont.)

SOV/1817

Ch. IV. Dynamics of Rotational Motion

4.1	Energy of an absolute solid rotating around a stationary axis	59
4.2	Basic law of dynamics for an absolute solid rotating around a stationary axis	66
4.3	Law of conservation of angular momentum	68
	Test problems. Examples	70

Ch. V. Vibratory Motion

5.1	Harmonic vibratory motion	75
5.2	Dynamics of natural harmonic vibrations	81
5.3	Composition of harmonic vibrations along a straight line	86
5.4	Composition of vibrations perpendicular to each other	90
5.5	Damped vibrations	92
5.6	Forced vibrations	96
	Test problems	100
	Examples	101

Card 4/8

A Course of Lectures on Physics (Cont.)

SOV/1817

PART II. PRINCIPLES OF MOLECULAR PHYSICS AND THERMODYNAMICS

Ch. VI. Ideal Gases	
6.1 Introduction	104
6.2 Laws of ideal gases	107
Test problems. Examples	111
Ch. VII. First Law Thermodynamics	
7.1 Internal energy of a system	113
7.2 Heat and work	114
7.3 First law of thermodynamics	116
7.4 Graphic presentation of thermodynamic processes and work	118
7.5 Thermal capacity of a substance. Isoprocesses in ideal gas	120
Test problems. Examples	127
Ch. VIII. Kinetic Theory of Gases	
8.1 Basic equation of the kinetic theory of gases	130
Card 5/8	

A Course of Lectures on Physics (Cont.)

SOV/1817

8.2	Law of velocity distribution for gas molecules	134
8.3	The barometric formula. Perrin's experiment	138
8.4	Length of the free path of molecules	141
8.5	Law of uniform distribution of kinetic energy according to the degree of freedom	143
8.6	Theory of thermal capacity of gases	149
8.7	Transfer phenomena in gases	152
8.8	Regularity and coefficients of transfer phenomena	154
8.9	Concept of the properties of rarified gases	161
	Test problems. Examples	165

Ch. IX. Second Law of Thermodynamics

9.1	Cyclic operations. The Sadi Carnot cycle	168
9.2	Reversible and nonreversible processes	172
9.3	Second law of thermodynamics	174
9.4	Entropy and free energy	178
9.5	Statistical interpretation of the second law of thermodynamics	183
	Test problems. Examples	188

Card 6/8

A Course of Lectures on Physics (Cont.)

SOV/1817

Ch. X. Real Gases and Vapors

10.1	Forces of molecular interaction in gases	190
10.2	The Van der Waals equation	194
10.3	Isotherms of real gases. Concept of phase transitions	199
10.4	Inner energy of real gas. The Joule-Thomson effect	203
10.5	Liquefaction of gases and generation of low temperatures	206
	Test problems. Examples	207

Ch. XI. Fluids

11.1	Structure and some properties of fluids	209
11.2	Surface tension of fluids	211
11.3	Moistening and capillary phenomena	215
11.4	Pressure of saturated vapors above the curved surface of the fluid	220
11.5	Boiling of fluids	222
	Test problems. Examples	225

Card 7/8

A Course of Lectures on Physics (Cont.)

SOV/1817

Ch. XII. Solid Bodies

12.1	Structure of solids	227
12.2	Thermal expansion of solids	230
12.3	Thermal conductivity of solids	233
12.4	Thermal capacity of solids	235
12.5	Change of phase of solids	242
12.6	Concept of the elastic properties of solids	249
	Test problems	254

Supplement: Systems of Units for Mechanical Magnitudes

1.	Measuring physical magnitudes	254
2.	Principal units of mechanical unit systems	255
3.	Derived units of measurement and relationship of the units of the various systems	256
4.	Formulas of dimensions	262
	Subject index	269

AVAILABLE: Library of Congress

Card 8/8

TM/jb
6/30/59

YAVORSKIY, B.M.

AUTHOR: Yavorskiy, B.M., Professor (Moscow) 47-58-2-23/30

TITLE: An Answer to A.N. Khvostova (Otvét A.N. Khvostovoy) What Importance has Brownian Movement for the Molecular-Kinetic Theory and Thermodynamics? (Kakoye znacheniye imeyet brounovskoye dvizheniye dlya molekulyarno-kineticheskoy teorii i termodinamiki?)

PERIODICAL: Fizika v Shkole, 1958, Nr 2, pp 83-84 (USSR)

ABSTRACT: Oscillatory movements of particles suspended in liquid were discovered by an English botanist, R. Brown, in 1827, but only in 1906 were these movements explained by Einstein and, independently from him, Smolukhovskiy. The Brownian Theory is now the basis for the molecular-kinetic and thermodynamic theories. The author explains the theory.

AVAILABLE: Library of Congress

Card 1/1

1. Particles-Oscillation
2. Thermodynamics-Theory
3. Molecular-Kinetic theory

YAVORSKIY, B.M.

AUTHOR: Yavorskiy, B.M., Professor (Moscow) 47-58-3-26/27

TITLE: Max Planck, On the Occasion of the 100th Anniversary of His Birth (Maks Plank, k 100-letiyu so dnya rozhdeniya)

PERIODICAL: Fizika v Shkole, 1958, Nr 3, pp 92-96 (USSR)

ABSTRACT: The author evaluates the scientific work of the German physicist Max Planck.

AVAILABLE: Library of Congress

Card 1/1 1. Biographies-Planck, Max

5.1370,5.3610

75667
SOV/80-32-10-16/51

AUTHORS: Bogoslovskiy, B. M., Yavorskiy, B. M., Virnik, A. D.

TITLE: Concerning the Application of Thermal Diffusion to
Dye Refining

PERIODICAL: Zhurnal prikladnoy khimii, 1959, Vol 32, Nr 10,
pp 2225-2229 (USSR)

ABSTRACT: The article reports on the results of preliminary studies on thermal diffusion refining of dyes. Laboratory tests were made in a metal apparatus (Fig. 2) and a glass apparatus built along the same lines. The investigated dye or dye mixture solutions (congo-red, acid blue, acid orange) of 2 to 4% concentration were introduced at the middle of the column heated by an electric coil with temperature regulated by a LATR-1 autotransformer. The concentration of the original solution as well as that of the samples drawn from the top and bottom of the column was determined colorimetrically with a type FEK-M photoelectric colorimeter and appropriate light filters.

Card 1/5

Concerning the Application of Thermal
Diffusion to Dye Refining

75667

SOV/80-32-10-16/51




Fig. 2. Sketch of metal column: (1) internal tube; (2) external tube; (3) feeding device; (4) centering packing seal; (5) sampling cocks; (6) container for the investigated solution; (7) electric heating coil; (I) cooling water inlet.

The concentration of prepared standard solutions of the corresponding dyes was determined in the same manner. The concentration K was established

Card 2/5

Concerning the Application of Thermal
Diffusion to Dye Refining

75667
SOV/80-32-10-16/51

from the expressions

$$K_1 = \frac{D_1 B_2 - D_2 B_1}{A_1 B_2 - A_2 B_1} \cdot n,$$

$$K_2 = \frac{D_2 A_1 - D_1 A_2}{A_1 B_2 - A_2 B_1} \cdot n,$$

where A_1 and A_2 are, respectively, the optical densities of the standard solution of the first dye determined with light filters #1 and #2; B_1 and B_2 are, respectively, the optical densities of the standard solution of the second dye, as above; D_1 and D_2 are, respectively, the optical densities of the investigated solution of dye mixture with unknown concentration of the components, as above; K_1 and K_2 are, respectively, the concentrations of the first and second component dye (in g/l); n is the concentration of the standard dye solutions (in g/l). The concentra-

Card 3/5

Concerning the Application of Thermal
Diffusion to Dye Refining

75667
SOV/80-32-10-16/51

tion of the dye mixture K is the sum of K_1 and K_2 .
The concentration changes plotted against time showed
that the concentration of the dye molecules in the
lower half of the column increased, and that in the
upper half decreased correspondingly. The value of
the thermal diffusion separation is characterized by
the separation constant q:

$$q = \frac{|C_1 : C_2|_{II}}{|C_1 : C_2|_I}$$

where C_1 are the relative molar concentrations of the
solute (dye) and the solvent (water); indexes I and
II pertain to the upper resp. lower half of the column.
The maximum change in concentration was reached within
the first 1-2 hr; subsequently the rate of the change
decreased sharply. It was found that, in general, the
concentration of a mixture of dyes increased in the
lower part of the column. In case of a mixture of
dyes with different molecular weights, it is the com-
ponent with the lower molecular weight that accumu-
lates predominantly in the lower part of the column

Card 4/5

Concerning the Application of Thermal
Diffusion to Dye Refining

75667
SOV/80-32-10-16/51

and in case of equal molecular weights, the component with the relatively shorter length of molecule. The separation constant could be increased by the application of a multistage cascade built from consecutively connected columns. The authors express their appreciation to Lykova, A. V., for her permission to conduct the experiments at the Physics Laboratory of the Moscow Technological Institute of the Meat and Dairy Industry. There are 4 figures; and 3 Soviet references, one of them a translation of Jones, K. and Ferry, W., The Separation of Isotopes by Means of Thermal Diffusion, publ. 1947 by IL.

ASSOCIATION: Dye Chemistry Laboratory of the Moscow Textile Institute (Laboratoriya khimii krasiteley Moskovskogo tekstil'nogo instituta)

SUBMITTED: November 28, 1958

Card 5/5

REZNIKOV, Leonid Issakovich; EVENCHIK, Esfir' Yefimovna; YUS'KOVICH, Vasilii Fomich; YAVORSKIY, B.M., prof., doktor fiz.-matem. nauk, red.; SIDOROV, N.I., red.; KOPTEKOVA, L.A., red.; LAUT, V.G., tekhn.red.

[Methods of teaching physics in secondary schools] Metodika predavaniia fiziki v srednei shkole. Pod red. B.M.Iavorskogo. Moskva, Izd-vo Akad.pedagog.nauk RSFSR, Vol.2. [Mechanics (continuation), molecular physics and heat] Mekhanika (prodolzhenie), molekuliarnaia fizika i teplota. 1960. 405 p.

(MIRA 13:7)

(Physics--Study and teaching)

YAVORSKIY, Boris Mikhaylovich; DETLAF, Andrey Antonovich; MILKOVSKAYA, Lidiya Bronislavovna; GORBATOV, Yu.B., starshiy prepodavatel', red.; KHRUSTALEVA, N.I., red.izd-va; VORONINA, R.K., tekhn.red.

[Lecture courses in physics] Kurs lekttsii po fizike. Moskva, Gos. izd-vo "Vysshaya shkola." Vol.2. [Electricity and magnetism] Elektrichestvo i magnetizm. 1960. 421 p. (MIRA 14:2)

1. Kafedra fiziki Moskovskogo energeticheskogo instituta (for Gorbatov).

(Electricity)

(Magnetism)

83350

S/139/60/000/004/006/033
E201/E591

16.4100
24.4500
AUTHORS:

Kamenetskiy, V. D. and Yavorskiy, B.M.

TITLE:

An Approximate Allowance for the Distortion of the
Incident and Scattered Waves in Collisions of Slow
Electrons with Atoms and Ions

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy, Fizika,
1960, No.4, pp.66-73

TEXT:

Interaction of slow particles on collision (e.g. collisions of slow electrons with atoms or ions) cannot be regarded as a perturbation in quantum-mechanical treatments and, consequently, the Born approximation is inapplicable. In such cases the main problem is the correct allowance for the distortions of the incident and scattered waves. These distortions can be tackled by either variational methods (Refs.2-5) or by the Drukarev integral-equation method (Ref.6-9). All these methods give approximately the same accuracy but they are very cumbersome. The approximate method proposed in the present paper is in effect a combination of the variational and Drukarev's methods. From the variational methods the authors took the idea of trial functions

Card 1/3

83350

S/139/60/000/004/006/033
E201/E591

An Approximate Allowance for the Distortion of the Incident and Scattered Waves in Collisions of Slow Electrons with Atoms and Ions of given asymptotic form to represent the wave functions. Unknown parameters in the trial functions are found by comparing these functions with the corresponding Drukarev's wave-functions for small r , where r is the radius vector. These parameters are analytic functions of (1) coefficients which occur in the electron wave functions of an atom or an ion, (2) parameters representing the atomic core, and (3) the wave number of the incident electron. For the sake of brevity, the proposed approximate method shall be called the "expansion method". The accuracy and the speed of convergence of the consecutive iterations of the expansion method are illustrated for the case of elastic scattering of slow electrons by a static field of the form

$$U(r) = -U_0 e^{-\beta r}; \quad U_0 > 0; \quad \beta > 0 \quad (19)$$

(the results are given in Tables 1 and 2). The most important advantage of the expansion method is its extreme simplicity. The

Card 2/3

83350

S/139/60/000/004/006/033
E201/E591

An Approximate Allowance for the Distortion of the Incident and Scattered Waves in Collisions of Slow Electrons with Atoms and Ions
amount of time required to produce a result using the expansion method is about half that necessary when Drukarev's method is employed. The paper is entirely theoretical. Acknowledgment is made to Doctor of Physico-Mathematical Sciences G. F. Drukarev for his advice. There are 2 tables and 13 references: 9 Soviet, 1 German, 1 Swedish and 2 English.

ASSOCIATION: Vsesoyuznyy zaachnyy institut tekstil'noy i legkoy promyshlennosti (All Union Correspondence Institute for the Textile and Light Industries) X

SUBMITTED: August 15, 1959

Card 3/3

32157 R

S/139/60/000/004/007/033

E032/E414

24,4400

AUTHORS: Kamenetskiy, V.D. and Yavorskiy, B.M.

TITLE: The expansion method and its application to the theory of collisions between slow electrons and light atoms

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy, Fizika, 1960, No.4, pp.74-82

TEXT: The "expansion method" was described by the present authors in Ref.1 (Izv. vyzov MV i SSO SSSR, Fizika, 4, 66, 1960) (preceding paper). The method can be used in approximate quantum mechanical calculations of collisions of slow particles. The present paper deals with the sensitivity of the solutions to changes in the "trial functions", the usefulness of the various approximations, the accuracy of the method, etc. The paper is concluded with a brief summary of some numerical results obtained for the scattering of electrons by helium and hydrogen. The role of exchange effects in the elastic scattering of s-electrons on helium and hydrogen is discussed. A further special case considered is that of the cross section for the excitation of the 2S-level in hydrogen (including exchange effects). The general conclusion is that although the expansion method is only an

Card 1/3

S/139/60/000/004/007/033
E032/E414

The expansion method . . .

approximate method, nevertheless, with a suitable choice of the trial functions, adequate accuracy can be achieved. Numerical calculations showed that in the case of collisions of slow electrons with light atoms, an accuracy of 25 to 30% can be reached. In many cases the accuracy is higher still. The solutions can be obtained in simple analytical forms. The scattered amplitude is derived as an algebraic function of parameters which enter into the wave functions of the atomic electrons, the nuclear charge and the wave number of the incident electron. It is stated that the present method is very much simpler and less laborious than the variational calculations, or calculations based on Drukarev's integral equations (Ref. 2. V.A.Fok, ZhETF, 10, 961, 1940 and Ref. 4. G.F.Drukarev, Doctoral Dissertation, Leningrad, 1955). Acknowledgments are made to Doctor of Physics-Mathematical Sciences, G.F.Drukarev for his advice. There are 5 tables and 13 references: 5 Soviet and 10 non-Soviet. The references to four English language publications read as follows: G.A.Erskina, H.S.W.Massey, Proc.Roy. Soc., 212A, 521, 1952; W.Kohn, Rev.Mod.Phys., 26, 292, 1954; M.J.Seaton, Proc.Roy.Soc., 241, 522, 1957; B.H.Bransden, M.Kie J.S.C., Proc.Phys.Soc., A69, 422, 1956.

Card 2/3

32157 R

The expansion method

S/139/60/000/004/007/033
E032/E414

ASSOCIATION: Vsesoyuznyy zaochnyy institut tekstil'noy i legkoy
promyshlennosti (All Union Correspondence Institute
for the Textile and Light Industries)

SUBMITTED: August 25, 1959

X

Card 3/3

85159

S/139/60/000/005/005/031
E032/E114

26.2340
AUTHORS: Kamenetskiy, V.D., and Yavorskiy, B.M.

TITLE: Application of the Expansion Method to the Elastic
Scattering of Slow Electrons on Heavy Atoms

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy, Fizika,
1960, No. 5, pp 26-34

TEXT: The calculation of the cross-sections for electrons scattered on heavy atoms is more difficult than the analogous problem for light atoms. There are three reasons for this. Firstly, sufficiently accurate wave functions are only known for a limited number of heavy atoms. Secondly, the convergence of the series of partial waves in the heavy-atom case is in general considerably less rapid than in the light-atom case. Thus, for example, for helium, the S-cross-section for elastic scattering is approximately equal to the total cross-section up to 30 eV, while for heavy atoms such as, for example, Zn, Cd or Hg, the experimentally determined electron cross-sections are very different from the S-cross-section already at 1 or 2 eV. It follows that in order to obtain significant comparisons between theory and experiment in the case of heavy atoms, several partial waves must be taken into
Card 1/4

85159
S/139/60/000/005/005/031
E032/E114

Application of the Expansion Method to the Elastic Scattering of
Slow Electrons on Heavy Atoms

account even for slow electrons. Finally, in the case of heavy atoms the problem is difficult to solve because of the very large number of atomic electrons and the complicated form of their radial wave functions. There are two methods which can be used to treat this problem. The first of these is the so-called expansion method (EM) described by the present authors in Refs 1 and 2, and the second is the more accurate method of integral equations which has been described by Drukarev (Refs 3 and 4) (DMIE). The present authors have carried out calculations for Hg using both methods. The 6^1S wave function for mercury was taken in the form of the following three-parameter expression

$$u(r) = rR(r) = A e^{ar}(cr - r^2). \quad (1)$$

The atomic core was treated on the basis of the Thomas—Fermi statistical model. The energy of the incident electron in the field of Hg^{++} was assumed to be in the form of the following two-parameter function:

Card 2/4

85159

S/139/60/000/005/005/031
E032/E114

Application of the Expansion Method to the Elastic Scattering of
Slow Electrons on Heavy Atoms

$$\begin{aligned} U(r) &= \frac{2}{r} + \frac{a_1(r_0 - r)}{r} & \text{when } r \leq r_0; \\ U(r) &= -\frac{2}{r} & \text{when } r \geq r_0, \end{aligned} \quad (3)$$

where r_0 is the radius of the Hg^{++} ion and was calculated by Fermi in Ref. 18. The S, P, D and F cross-sections for elastic scattering in Hg and Ca are calculated on the basis of the above functions without taking exchange into account. A calculation of the S-cross-section for Hg including exchange effects has also been carried out. The calculations cover the range 0-22 eV. Numerical values for the various parameters involved are given as well as comparisons between calculated and experimentally determined cross-sections.

Card 3/4

85159

S/139/60/000/005/005/031
E032/E114

Application of the Expansion Method to the Elastic Scattering of
Slow Electrons on Heavy Atoms

Acknowledgements are made to L.A. Vaynshteyn who supplied the
wave functions for Hg, and G.F. Drukarev for discussing the
results obtained.

There are 9 tables and 29 references: 8 Soviet, 16 English,
1 German, 2 Italian and 2 Scandinavian.

ASSOCIATION: Vsesoyuznyy zaochnyy institut tekstil'noy legkoy
promyshlennosti
(All Union Extramural Institute of Textiles and
Light Industry)

SUBMITTED: September 14, 1959

Card 4/4

5.3610

77362

SOV/79-30-1-23/78

AUTHORS: Boguslavskaya, N. A., Bogoslavskiy, B. M., Yavorskiy, B. M.

TITLE: Absorption Spectra of Monoazo Dyes of Type Acid Red

PERIODICAL: Zhurnal obshchey khimii, 1960, Vol 30, Nr 1, pp 112-115 (USSR)

ABSTRACT: The aim of this work was to study the effect of the position of sulfo group in the dye molecule on its absorption spectrum, the effect of replacement of hydroxyl group by amino group on absorption spectrum of the dye in which the position of sulfo group was not changed, and the effect of the transposition of hydroxyl and amino groups from α to β position in naphthalene ring on absorption maxima. All 24 monoazo dyes were synthesized by coupling of naphthyl-aminosulfonic acids with corresponding α and β naphthols or naphthylamines. The absorption spectra of the prepared dyes were taken with a Beckmann spectrophotometer in the range 220-700 m μ . The absorption maxima of monoazo dyes are shown in Table A.

Card 1/4

Absorption Spectra of Monoazo Dyes of Type
Acid Red

77362

SOV/79-30-1-23/78

Absorption maxima of monoazo dyes (in m μ)

Diazonium compounds	Coupling component			
	α -Naphthol	β -Naphthol	α -Naphthyl- amine	β -Naphthylamine
1,2-Naphthylamin- sulfonic acid	278, 485	278, 310, 494	270, 480	275, 346, 465
1,4-Naphthylamin- sulfonic acid	266, 452	280, —, 506	272, 500	276, 340, 475
1,5-Naphthylamin- sulfonic acid	268, —	—, 380, 505	275, 465	280, 350, 480
1,6-Naphthylamin- sulfonic acid	280, 500	285, —, 505	280, 470	255, 355, 475
1,7-Naphthylamin- sulfonic acid	267, 510	283, —, 535	274, 468	265, 345, 480
1,8-Naphthylamin- sulfonic acid	274, 502	—, 400, 480	285, 475	278, 334, 490

Card 2/4

Absorption Spectra of Monoazo Dyes of Type
Acid Red

77362
SOV/79-30-1-23/78

The change in the position of the sulfo group in α -monoazo dyes molecules does not cause bathochromic or hypsochromic shift of the absorption maxima. The introduction of OH and NH_2 into the naphthalene ring does not noticeably affect the position of absorption maxima of naphthalene in the ultraviolet region of the spectrum (220 and 275 $\text{m}\mu$). The effect of the hydroxyl and amino group on the position of the absorption maxima in the red region of the spectrum is different. The absorption maxima of dyes with an hydroxyl group are by 20-25 $\text{m}\mu$ higher than that of the corresponding dyes with an amino group. The change of the OH group from α to β position in the dye molecule has a slight bathochromic effect. This is related, probably, to the formation of an intramolecular hydrogen bond between hydroxyl hydrogen and the nitrogen of the azo group. Transposition of amino group from α to β position is accompanied by a strong absorption maximum at 345 $\text{m}\mu$ and by a slight bathochromic effect.

Card 3/4